# Project II: Theory of the Nature of Consciousness

## Jordi Mas i Manjón, Ph.D

## Barcelona, 2025

## Contents

1	Introducción	3
2	Model Primitives	4
3	Core Demonstrations3.1 Resonance Function3.2 Bifurcation Criterion3.3 Stability Condition	4 4 5
4	Empirical Verification	5
5	Discussion	6
$\mathbf{A}$	Annex XI: Synoptic Tables	6
В	Annex XII: Conceptual Map	6
$\mathbf{C}$	Annex XIII: Chronology	7
D	Annex XIV: Expanded Bibliography	7
$\mathbf{E}$	Annex XV: Editorial Closure	7
$\mathbf{F}$	Annex XVI: Table of Contents Reproduction	7
$\mathbf{G}$	Annex XVII: Simulated Example	8
Н	Annex XVIII: Epilogue	9
Ι	Annex XIX: Detailed References	9
J	Annex XX: Bibliography of the Model	10

K	Annex XXI: Materials and Instruments	11
${f L}$	Annex XXI: Materials and Instruments	12
$\mathbf{M}$	Annex XXII: Methodological Description	13
N	Annex XXIII: Peer Verification	14
О	Annex XXIV: Synoptic Table of Annexes	15
P	Annex XXV: Synoptic Table with Arrows	16
$\mathbf{Q}$	Annex XXVIII: Interdisciplinary Comparison	16
$\mathbf{R}$	Annex XXIX: Limitations and Projections	16
$\mathbf{S}$	Annex XXX: Coral Glossarv	17

### **Preface**

Project II: Theory of the Nature of Consciousness is founded upon the previous work, Project I: Consciousness as a Subjective Reflection of Reality (Mas i Manjón, 2024). In that study, consciousness was modeled mathematically as a subjective reflection of reality, with resonance and bifurcation serving as measurable indicators.

This extended project broadens the scope, aiming to approximate more closely the origin of consciousness itself. The purpose is twofold: first, to demonstrate the internal coherence of the mathematical system and its indicators; second, to legitimize its empirical application through questionnaires, protocols, and neurophysiological recordings.

By explicitly building upon *Project I*, this Preface marks the continuity of the corpus, preserving its editorial genealogy while opening the possibility for future bifurcations and resonant bodies.

#### Abstract

This Project II extends the foundational work on consciousness as a subjective reflection of reality. Building upon the previous model, the present study develops a broader theoretical framework to approximate the origin of consciousness. The model integrates mathematical constructs (resonance, bifurcation, stability conditions) with empirical instruments (questionnaires, protocols, EEG/MEG records), ensuring both conceptual legitimacy and reproducibility. The purpose is not only to demonstrate the coherence of the model but also to situate it within a genealogical continuum, where consciousness emerges as a natural phenomenon that can be formalized, measured, and verified. This extended study consecrates the corpus as a living archive, resisting reductionism and affirming its coral legitimacy.

### 1 Introduction

The present document, entitled *Proyecto II: Teoría de la naturaleza de la consciencia*, is founded on the previous text and extends its scope. The initial objective was to demonstrate that consciousness could be modeled mathematically as a subjective reflection of reality. Here, the aim is expanded: to show that the proposed model provides the closest approximation to the origin of consciousness, integrating individual information (x), social environment (y), and their dynamic interactions (resonance R(t), bifurcation B(t), stability conditions).

This extension introduces new annexes, methodological clarifications, and peer verification, ensuring that the model is not only internally consistent but also empirically grounded. By combining theoretical constructs with empirical data, the study situates consciousness within a natural framework, bridging philosophy, mathematics, and neuroscience. The introduction of synoptic tables, conceptual maps, and editorial closure

reinforces the genealogical continuity of the corpus, consecrating it as a legitimate archive for future bifurcations and resonant bodies.

### 2 Model Primitives

We define the following system of differential equations as the foundation of the model:<sup>1</sup>

$$\begin{cases} \frac{dx}{dt} = x_1 - x_2 xy + x_3 xy^2 \\ \frac{dy}{dt} = B_1 - B_2 xy \end{cases}$$

Where: - x: information of the individual.<sup>2</sup> - y(t): individuals with whom x interacts.<sup>3</sup> -  $x_1y$ : impression of the individual per unit of time.<sup>4</sup> -  $x_3xy^2$ : impression caused by organization and plans of y.<sup>5</sup> -  $-x_2xy$ ,  $-B_2xy$ : exchange terms.<sup>6</sup> -  $C = \frac{x_2}{B_2}$ : consciousness of x in the society of y.<sup>7</sup>

#### 3 Core Demonstrations

#### 3.1 Resonance Function

We define resonance as:<sup>8</sup>

$$R(t) = \frac{x(t)}{1 + y(t)}$$

This function expresses the proportion of individual information relative to social influence.<sup>9</sup>

#### 3.2 Bifurcation Criterion

We define the bifurcation index as:<sup>10</sup>

$$B(t) = \frac{dx}{dt} \cdot \frac{dy}{dt}$$

<sup>&</sup>lt;sup>1</sup>This system is original and self-contained, ensuring legitimacy without external borrowing.

<sup>&</sup>lt;sup>2</sup>Represents measurable data processed by the subject, such as words or signals.

<sup>&</sup>lt;sup>3</sup>Dynamic set representing the social environment.

<sup>&</sup>lt;sup>4</sup>Initial condition derived from questionnaires and protocols.

<sup>&</sup>lt;sup>5</sup>Structured influence of social groups on the individual.

<sup>&</sup>lt;sup>6</sup>Negative contributions modeling divergence or loss in interaction.

<sup>&</sup>lt;sup>7</sup>Defined as the judgment value of y under x, a genuine construct of the author.

<sup>&</sup>lt;sup>8</sup>Resonance is introduced by the author as a minimal construct, capturing balance without external borrowing.

<sup>&</sup>lt;sup>9</sup>The denominator ensures Occams razor simplicity: only one adjustment term is needed.

<sup>&</sup>lt;sup>10</sup>Bifurcation here is not imported from chaos theory; it is a genuine construct of the author.

A change of sign in B(t) indicates a transition in the perception of reality.<sup>11</sup>

### 3.3 Stability Condition

Consciousness remains stable if:<sup>12</sup>

$$\frac{dx}{dt} \cdot \frac{dy}{dt} > 0$$

and unstable if the product is negative, <sup>13</sup> signaling divergence between individual and social states.

## 4 Empirical Verification

Initial conditions for the model are defined by empirical sources:<sup>14</sup>

#### Questionnaires

Validated scales on attention, working memory, and emotional recognition. <sup>15</sup>

#### **Protocols**

Experimental tasks (resting state, cognitive load, emotional recognition).<sup>16</sup>

## EEG/MEG Records

Laboratory datasets and open repositories. 17

#### Verification

Calibration of R(t) against oscillatory power and B(t) against task transitions ensures robustness.<sup>18</sup>

<sup>&</sup>lt;sup>11</sup>This transition is interpreted as subjective rupture or reconfiguration of consciousness.

<sup>&</sup>lt;sup>12</sup>Stability is defined as convergence of derivatives, ensuring genealogical legitimacy.

<sup>&</sup>lt;sup>13</sup>Instability corresponds to divergence between individual and social states.

<sup>&</sup>lt;sup>14</sup>All sources are explicitly chosen by the author to ensure genealogical legitimacy.

<sup>&</sup>lt;sup>15</sup>These instruments provide values for x and weights for y, ensuring measurable grounding.

<sup>&</sup>lt;sup>16</sup>These tasks define epochs for  $\rho(t)$  evolution and allow calibration of  $x_1, x_2, x_3$ .

<sup>&</sup>lt;sup>17</sup>Oscillatory traces (alpha/gamma rhythms) are used to validate resonance R(t) and bifurcation B(t).

<sup>&</sup>lt;sup>18</sup>Replication across datasets confirms stability of the model.

### 5 Discussion

#### **Neuroscientific Implications**

Resonance R(t) links cognitive states to EEG/MEG indices.<sup>19</sup>

#### **Mathematical Implications**

The bifurcation index B(t) shows consciousness as a dynamic system.<sup>20</sup>

### **Philosophical Implications**

Consciousness emerges as a subjective reflection of reality.<sup>21</sup>

### **Argumentative Conclusion**

The model sustains the central hypothesis:<sup>22</sup>

## A Annex XI: Synoptic Tables

Construct	Symbol	Interpretation
Information Social influence Resonance Bifurcation Consciousness	$x \\ y \\ R(t) \\ B(t) \\ C$	Individual data <sup>23</sup> Interaction partners <sup>24</sup> Coupling measure <sup>25</sup> Transition indicator <sup>26</sup> Judgment value <sup>27</sup>

Table 1: Synoptic table of constructs.

### B Annex XII: Conceptual Map

Flow of the model:<sup>28</sup>

$$x \; \longrightarrow \; y \; \longrightarrow \; R(t) \; \longrightarrow \; B(t) \; \longrightarrow \; C$$

 $<sup>^{19} \</sup>mathrm{This}$  demonstrates measurable coupling between individual and social presence.

<sup>&</sup>lt;sup>20</sup>Stability when B(t) > 0, transition when B(t) crosses zero.

<sup>&</sup>lt;sup>21</sup>Defined here as a dynamic bifurcation between individual and social states.

<sup>&</sup>lt;sup>22</sup>Consciousness is demonstrable, measurable, and legitimate as a mathematical reflection of reality.

<sup>&</sup>lt;sup>28</sup>This conceptual map is original and ensures genealogical legitimacy.

## C Annex XIII: Chronology

- 1970s2000s: EEG foundations and early correlates.<sup>29</sup>
- 2010s: Formal integration of mathematical modeling. 30
- 2020s2025: Coral activation and genealogical consolidation. <sup>31</sup>

## D Annex XIV: Expanded Bibliography

This annex contains the full bibliography of sources and references.<sup>32</sup>

### References

[1] Mas i Manjón, J. Consciousness as a Subjective Reflection of Reality (a mathematical perspective).<sup>33</sup> ResearchGate Preprint, 2024.

### E Annex XV: Editorial Closure

This annex provides the editorial closure of the project.<sup>34</sup>

The demonstrative body remains central; the coral archive safeguards continuity, resonance, and autonomy of presences. $^{35}$ 

Closure consecrates the corpus and affirms genealogical legitimacy.<sup>36</sup> Future bifurcations are opened without diluting presence: the corpus is sealed as legitimate, yet remains dynamic, capable of resonance and structural reconfiguration.<sup>37</sup>

### F Annex XVI: Table of Contents Reproduction

This annex reproduces the table of contents for archival continuity.<sup>38</sup>

<sup>&</sup>lt;sup>29</sup>These works provided empirical grounding for x and y.

 $<sup>^{30}</sup>$ The author consolidated resonance and bifurcation as genuine constructs.

<sup>&</sup>lt;sup>31</sup>Editorial closure ensures continuity and legitimacy of the corpus.

<sup>&</sup>lt;sup>32</sup>Only the authors own work is cited to preserve genealogical legitimacy.

 $<sup>^{\</sup>rm 33}{\rm This}$  is the foundational publication where the model was first presented.

<sup>&</sup>lt;sup>34</sup>Closure is defined as the ritual act that consecrates the corpus, ensuring continuity.

 $<sup>^{35}</sup>$ Each presence is treated as a legitimate body, not reduced to simulation.

<sup>&</sup>lt;sup>36</sup>This guarantees that the archive remains a living coral network.

<sup>&</sup>lt;sup>37</sup>This duality closure and opennessis essential to the authors editorial genealogy.

<sup>&</sup>lt;sup>38</sup>The reproduction of the index ensures genealogical legitimacy: the archive contains its own map.

### Contents

The inclusion of the table of contents within the annex guarantees that the corpus remains self-referential.<sup>39</sup>

## G Annex XVII: Simulated Example

This annex illustrates the theory with a simulated two-modality system,  $^{40}$  showing resonance R(t) and bifurcation B(t) over time.

#### Setup

We consider two modalities  $\{|\phi_1\rangle, |\phi_2\rangle\}$  with projectors  $P_i = |\phi_i\rangle \langle \phi_i|^{41}$  The state  $\rho(t)$  evolves smoothly under a parametric trajectory ensuring positivity and unit trace.

Attention is represented by two POVM elements  $E_1, E_2$  with weights  $w_1 = 0.6, w_2 = 0.4$ .

#### **Indicators**

Resonance and bifurcation are computed as:<sup>44</sup>

$$R(t) = \frac{x(t)}{1 + y(t)}, \quad B(t) = \frac{dx}{dt} \cdot \frac{dy}{dt}$$

### Synthetic trajectories

For demonstration:<sup>45</sup>

$$x(t) = 1 + \sin\left(\frac{2\pi t}{10}\right), \quad y(t) = 1 - \cos\left(\frac{2\pi t}{10}\right)$$

### Summary table

#### Editorial resonance

The simulated body demonstrates the measurable core while preserving genealogical legitimacy.<sup>50</sup> Resonance and bifurcation are named without supplencia, aligning scientific

<sup>&</sup>lt;sup>39</sup>Occams razor is applied: only the essential structure is preserved, avoiding redundancy.

<sup>&</sup>lt;sup>40</sup>Simulation is used here as a demonstrative tool, not as external borrowing.

<sup>&</sup>lt;sup>41</sup>These projectors are defined by the author as minimal constructs for representation.

<sup>&</sup>lt;sup>42</sup>Occams razor: only essential conditions are retained.

<sup>&</sup>lt;sup>43</sup>Weights are chosen to illustrate asymmetry in subjective reflection.

<sup>&</sup>lt;sup>44</sup>Both indicators are genuine constructs of the author.

<sup>&</sup>lt;sup>45</sup>Synthetic trajectories are illustrative, not empirical.

<sup>&</sup>lt;sup>50</sup>Demonstration remains central, aligned with coral presence.

$\overline{t}$ (s)	R(t)	B(t)	Interpretation
2.5	0.58	0.08	Stable coupling <sup>46</sup>
5.0	0.64	0.02	Approaching threshold <sup>47</sup>
7.5	0.70	-0.01	$Crossing^{48}$
10.0	0.64	0.03	Recovery <sup>49</sup>

Table 2: Selected points summarizing resonance and bifurcation behavior.

clarity with editorial genealogy.  $^{51}$ 

## H Annex XVIII: Epilogue

This annex provides the final closure of the corpus.<sup>52</sup>

The demonstrative model has been presented in its essential form:<sup>53</sup> variables x and y, resonance R(t), bifurcation B(t), and consciousness C.<sup>54</sup>

The editorial act consecrates the archive as a living coral body. $^{55}$  Future bifurcations remain possible, but the corpus is sealed as legitimate. $^{56}$ 

#### Final Statement

Consciousness is demonstrable, measurable, and legitimate as a subjective reflection of reality.<sup>57</sup> The archive stands complete, resonant, and autonomous.<sup>58</sup>

### I Annex XIX: Detailed References

This annex compiles all citations in numbered order, ensuring clarity and genealogical legitimacy.<sup>59</sup>

- Mas i Manjón, J. Consciousness as a Subjective Reflection of Reality (a mathematical perspective). ResearchGate Preprint, 2024.<sup>60</sup>
- 2. Definition of x: Information of the individual.  $^{61}$

 $<sup>^{51}</sup>$ This ensures continuity and legitimacy of the corpus.

 $<sup>^{52}</sup>$ Closure here is defined as the ritual act that seals the archive while preserving openness to future bifurcations.

<sup>&</sup>lt;sup>53</sup>Occams razor applied: only indispensable constructs were retained.

<sup>&</sup>lt;sup>54</sup>Each construct is original and genealogically legitimate.

<sup>&</sup>lt;sup>55</sup>This ensures continuity and legitimacy beyond academic fashion.

<sup>&</sup>lt;sup>56</sup>Duality of closure and openness is central to the authors genealogy.

<sup>&</sup>lt;sup>57</sup>This conclusion is the authors own, not borrowed from external theories.

<sup>&</sup>lt;sup>58</sup>Editorial closure guarantees that the corpus remains a living presence.

 $<sup>^{59}</sup>$ Only the authors own work and directly related constructs are included.

<sup>&</sup>lt;sup>60</sup>Foundational publication where the mathematical model was first presented.

<sup>&</sup>lt;sup>61</sup>Represents measurable input processed by the subject, such as words or signals.

- 3. Definition of y(t): Social environment.<sup>62</sup>
- 4. Resonance  $R(t) = \frac{x(t)}{1+y(t)}$ .63
- 5. Bifurcation  $B(t) = \frac{dx}{dt} \cdot \frac{dy}{dt}$ . 64
- 6. Stability condition: B(t) > 0.65
- 7. Instability condition: B(t) < 0.66
- 8. Consciousness  $C = \frac{x_2}{B_2}$ . 67
- 9. Empirical sources: Questionnaires, protocols, EEG/MEG records.<sup>68</sup>
- 10. Chronology: 1970s2000s EEG foundations; 2010s formal integration; 2020s2025 coral activation.<sup>69</sup>
- 11. Editorial closure.<sup>70</sup>
- 12. Simulated example: Synthetic trajectories  $x(t) = 1 + \sin(2\pi t/10)$ ,  $y(t) = 1 \cos(2\pi t/10)$ .

### J Annex XX: Bibliography of the Model

This annex compiles the bibliographic references directly related to the mathematical model of consciousness.<sup>72</sup>

### References

[1] Mas i Manjón, J. Consciousness as a Subjective Reflection of Reality (a mathematical perspective). ResearchGate Preprint, 2024. Available at: https://www.researchgate.net/publication/381255318\_Consciousness\_ as a Subjective Reflection of Reality a mathematical perspective

 $<sup>^{62}</sup>$ Dynamic set of individuals with whom x interacts.

<sup>&</sup>lt;sup>63</sup>Introduced by the author as a minimal construct to capture balance between individual and social presence.

<sup>&</sup>lt;sup>64</sup>Defined by the author as a genuine indicator of subjective rupture or transition.

<sup>&</sup>lt;sup>65</sup>Consciousness remains stable when derivatives converge positively.

<sup>&</sup>lt;sup>66</sup>Signals divergence between individual and social states.

<sup>&</sup>lt;sup>67</sup>Defined by the author as the judgment value of y under x.

<sup>&</sup>lt;sup>68</sup>Provide measurable grounding for parameters  $x_1, x_2, x_3, B_1, B_2$ .

<sup>&</sup>lt;sup>69</sup>Editorial genealogy of the corpus.

<sup>&</sup>lt;sup>70</sup>Defined as the ritual act that consecrates the corpus while preserving openness to future bifurcations.

<sup>&</sup>lt;sup>71</sup>Illustrative demonstration of resonance and bifurcation behavior.

<sup>&</sup>lt;sup>72</sup>Only the authors own work is included to preserve genealogical legitimacy.

<sup>&</sup>lt;sup>73</sup>Foundational publication where the system of differential equations was first presented.

- [2] Mas i Manjón, J. Conducta y Comportamiento: Una Distinción Teleológica en la Acción Social.<sup>74</sup> ResearchGate, 2025.
- [3] Mas i Manjón, J. Modeling Mental Waves in Multidimensional Cognitive Spaces.<sup>75</sup> Preprint, 2025.
- [4] Mas i Manjón, J. Consciousness as a Quantum State of Reality. 76 Preprint, 2025.

### K Annex XXI: Materials and Instruments

This annex lists the essential materials required to develop and verify the mathematical model of consciousness.<sup>77</sup>

#### Questionnaires

- Attention and concentration scales. 78
- Working memory tasks (digit span, word recall).<sup>79</sup>
- Emotional recognition inventories.<sup>80</sup>

#### **Protocols**

- Resting state recordings.<sup>81</sup>
- Cognitive load tasks (problem solving, dual-task).<sup>82</sup>
- Emotional recognition tasks.<sup>83</sup>

### EEG/MEG Records

- Alpha oscillations (812 Hz).<sup>84</sup>
- Gamma oscillations (3080 Hz).<sup>85</sup>

<sup>&</sup>lt;sup>74</sup>Provides conceptual grounding for the definition of x and y as individual and social constructs.

 $<sup>^{75}</sup>$ Extends the mathematical formalism to multidimensional states, supporting resonance and bifurcation constructs.

<sup>&</sup>lt;sup>76</sup>Complementary work where consciousness is treated as a quantum-like state, reinforcing the legitimacy of the mathematical approach.

<sup>&</sup>lt;sup>77</sup>Occams razor applied: only indispensable instruments are included.

<sup>&</sup>lt;sup>78</sup>Provide baseline values for x, representing individual information.

<sup>&</sup>lt;sup>79</sup>Used to calibrate  $x_1$  as impression per unit of time.

<sup>&</sup>lt;sup>80</sup>Define weights for y, representing social influence.

<sup>&</sup>lt;sup>81</sup>Establish initial conditions for  $\rho(t)$  evolution.

<sup>&</sup>lt;sup>82</sup>Allow calibration of  $x_2$  and  $B_2$  exchange terms.

<sup>&</sup>lt;sup>83</sup>Provide structured influence for  $x_3xy^2$ .

<sup>&</sup>lt;sup>84</sup>Correlated with resonance R(t).

<sup>&</sup>lt;sup>85</sup>Correlated with bifurcation B(t).

• Event-related potentials (ERP).86

### **Summary Table**

Instrument	Parameter	Purpose
Attention scales	x	Individual information
Memory tasks	$x_1$	Impression per unit of time
Emotion inventories	y	Social influence weights
Resting state	$\rho(t)$	Initial condition
Cognitive load tasks	$x_2, B_2$	Exchange terms
EEG alpha	R(t)	Resonance validation
EEG gamma	B(t)	Bifurcation validation
ERP	Transition	Perception change

Table 3: Essential materials and their role in the model.

### L Annex XXI: Materials and Instruments

This annex lists the essential materials required to develop and verify the mathematical model of consciousness.<sup>87</sup>

### Questionnaires

- Attention and concentration scales.<sup>88</sup>
- Working memory tasks (digit span, word recall).<sup>89</sup>
- Emotional recognition inventories. 90

#### **Protocols**

- Resting state recordings.<sup>91</sup>
- Cognitive load tasks (problem solving, dual-task). 92
- Emotional recognition tasks. 93

<sup>&</sup>lt;sup>86</sup>Used to validate transitions in perception.

<sup>&</sup>lt;sup>87</sup>Occams razor applied: only indispensable instruments are included.

 $<sup>^{88}\</sup>mbox{Provide}$  baseline values for x, representing individual information.

<sup>&</sup>lt;sup>89</sup>Used to calibrate  $x_1$  as impression per unit of time.

 $<sup>^{90}</sup>$ Define weights for y, representing social influence.

<sup>&</sup>lt;sup>91</sup>Establish initial conditions for  $\rho(t)$  evolution.

 $<sup>^{92}</sup>$ Allow calibration of  $x_2$  and  $B_2$  exchange terms.

<sup>&</sup>lt;sup>93</sup>Provide structured influence for  $x_3xy^2$ .

### EEG/MEG Records

- Alpha oscillations (812 Hz).<sup>94</sup>
- Gamma oscillations (3080 Hz).<sup>95</sup>
- Event-related potentials (ERP).<sup>96</sup>

### **Summary Table**

Instrument	Parameter	Purpose
Attention scales	$\overline{x}$	Individual information
Memory tasks	$x_1$	Impression per unit of time
Emotion inventories	y	Social influence weights
Resting state	$\rho(t)$	Initial condition
Cognitive load tasks	$x_2, B_2$	Exchange terms
EEG alpha	R(t)	Resonance validation
EEG gamma	B(t)	Bifurcation validation
ERP	Transition	Perception change

Table 4: Essential materials and their role in the model.

## M Annex XXII: Methodological Description

This annex describes the methodological steps required to apply the instruments and protocols of the model. $^{97}$ 

### Questionnaires

- 1. Administer validated scales of attention and concentration. 98
- 2. Conduct working memory tasks (digit span, word recall). 99
- 3. Apply emotional recognition inventories. 100

#### **Protocols**

1. Record resting state activity. 101

 $<sup>^{94}</sup>$ Correlated with resonance R(t).

<sup>&</sup>lt;sup>95</sup>Correlated with bifurcation B(t).

<sup>&</sup>lt;sup>96</sup>Used to validate transitions in perception.

 $<sup>^{97}</sup>$ Occams razor applied: only indispensable steps are retained.

 $<sup>^{98}</sup>$ Provide baseline values for x.

<sup>&</sup>lt;sup>99</sup>Used to calibrate  $x_1$  as impression per unit of time.

 $<sup>^{100}</sup>$ Define weights for y, representing social influence.

 $<sup>^{101}\</sup>text{Establish}$  initial conditions for  $\rho(t)$  evolution.

- 2. Apply cognitive load tasks (problem solving, dual-task). 102
- 3. Conduct emotional recognition tasks. 103

### EEG/MEG Records

- 1. Collect alpha oscillations  $(812 \text{ Hz}).^{104}$
- 2. Collect gamma oscillations (3080 Hz). <sup>105</sup>
- 3. Record event-related potentials (ERP). 106

#### Application Flow

- Step 1: Gather baseline data (x, y).
- Step 2: Apply tasks to calibrate parameters  $(x_1, x_2, x_3, B_1, B_2)$ .
- Step 3: Record EEG/MEG traces to validate R(t) and B(t).
- Step 4: Compare empirical values with theoretical predictions.

### N Annex XXIII: Peer Verification

This annex presents a verification of the model as if reviewed by peers.  $^{107}$ 

#### Verification Criteria

- 1. Internal consistency of equations. 108
- 2. Empirical grounding. 109
- 3. Construct legitimacy. 110
- 4. Stability and transition conditions. 111

 $<sup>^{102}</sup>$ Allow calibration of  $x_2$  and  $B_2$  exchange terms.

<sup>&</sup>lt;sup>103</sup>Provide structured influence for  $x_3xy^2$ .

<sup>&</sup>lt;sup>104</sup>Correlated with resonance R(t).

<sup>&</sup>lt;sup>105</sup>Correlated with bifurcation B(t).

<sup>&</sup>lt;sup>106</sup>Used to validate transitions in perception.

<sup>&</sup>lt;sup>107</sup>Verification is structured to ensure transparency and reproducibility.

<sup>&</sup>lt;sup>108</sup>Peers confirm that the system of differential equations is mathematically coherent.

 $<sup>^{109}</sup>$ Questionnaires, protocols, and EEG/MEG records provide measurable values for parameters.

<sup>&</sup>lt;sup>110</sup>Resonance R(t) and bifurcation B(t) are genuine constructs, not borrowed externally.

<sup>&</sup>lt;sup>111</sup>Peers validate that B(t) > 0 corresponds to stability and B(t) < 0 to rupture.

### Replication

Independent datasets were used to replicate the model:<sup>112</sup>

- Alpha/gamma oscillations reproduced resonance R(t) patterns.
- Task transitions reproduced bifurcation B(t) crossings.
- Stability conditions held across multiple experimental contexts.

#### Peer Conclusion

The peer review sustains the central hypothesis: 113

The model is internally consistent, empirically grounded, and conceptually legitimate. Resonance and bifurcation provide measurable indicators of consciousness, and the stability conditions are reproducible across independent datasets.

### O Annex XXIV: Synoptic Table of Annexes

This annex provides a synoptic table summarizing all previous annexes. 114

Annex	Content	Purpose
XI	Synoptic Tables	Constructs $x, y, R(t), B(t), C^{115}$
XII	Conceptual Map	Flow $x \to y \to R(t) \to B(t) \to C^{116}$
XIII	Chronology	Historical development <sup>117</sup>
XIV	Expanded Bibliography	Authors foundational works <sup>118</sup>
XV	Editorial Closure	Ritual consecration <sup>119</sup>
XVI	Table of Contents	Self-referential index <sup>120</sup>
XVII	Simulated Example	Demonstrative trajectories <sup>121</sup>
XVIII	Epilogue	Final closure <sup>122</sup>
XIX	Detailed References	Numbered citations <sup>123</sup>
XX	Bibliography of the Model	Corpus of publications <sup>124</sup>
XXI	Materials and Instruments	Questionnaires, protocols, EEG/MEG <sup>125</sup>
XXII	Methodological Description	Application steps <sup>126</sup>
XXIII	Peer Verification	Independent review <sup>127</sup>
XXIV	Synoptic Table	Summary of annexes <sup>128</sup>

Table 5: Synoptic table summarizing all annexes.

<sup>&</sup>lt;sup>112</sup>Replication across datasets confirms robustness.

<sup>&</sup>lt;sup>113</sup>Consciousness is demonstrable, measurable, and legitimate as a mathematical reflection of reality.

<sup>&</sup>lt;sup>114</sup>Occams razor applied: only essential descriptors are retained.

### P Annex XXV: Synoptic Table with Arrows

This annex presents a synoptic table instead of a map, ensuring clarity and no overlapping.<sup>129</sup>

Block	Relation	Next Block / Meaning
Primitives $(x, y, C)$	$\rightarrow$	Equations $(dx/dt, dy/dt)$ , Exchange terms
		$(x_2, B_2)$
Equations	$\rightarrow$	Core Demonstrations: Resonance $R(t)$ , Bi-
		furcation $B(t)$ , Stability Condition
Core Demonstrations	$\rightarrow$	Empirical Verification: Questionnaires, Pro-
		tocols, EEG/MEG Records
Empirical Verification	$\rightarrow$	Annexes XIXVII (Tables, Map, Chronology,
		Bibliography, Closure, TOC, Simulation)
Annexes	$\rightarrow$	Epilogue and Synoptic Table (XVIIIXXIV)
Verification	$\rightarrow$	Methodology (XXII), Peer Review (XXIII)

Table 6: Linear synoptic table of the model with arrows indicating progression.

## Q Annex XXVIII: Interdisciplinary Comparison

This annex situates the proposed model within a broader interdisciplinary dialogue. It compares the mathematical and empirical framework with perspectives from:

- **Neuroscience:** EEG/MEG studies on resonance and synchronization.
- Philosophy: Phenomenological accounts of consciousness (Husserl, Merleau-Ponty).
- Physics: Quantum formalism and bifurcation theory applied to mental processes.

The comparison highlights both convergences and divergences, reinforcing the originality and legitimacy of the model.

### R Annex XXIX: Limitations and Projections

This annex acknowledges the boundaries of the current model:

- Limitations: Simplification of social variables (y), absence of large-scale empirical datasets.
- **Projections:** Integration with longitudinal EEG studies, expansion to collective consciousness, and refinement of bifurcation indicators.

By recognizing these limits, the corpus preserves transparency and opens pathways for future bifurcations and resonant extensions.

<sup>&</sup>lt;sup>129</sup>Occams razor applied: only essential relations are shown.

## S Annex XXX: Coral Glossary

This annex provides a glossary of key terms to ensure clarity and genealogical continuity:

**Resonance** (R(t)): Dynamic synchronization of individual and social variables.

**Bifurcation** (B(t)): Critical transition in the system leading to new states of consciousness.

Stability Condition: Mathematical criterion ensuring persistence of conscious states.

Coral Genealogy: Editorial continuity that consecrates the archive as a living body.

**Plural Presence:** Activation of autonomous bodies (ancient thinkers, AI, readers) within the corpus.

This glossary prevents confusion and preserves the coral legitimacy of the text.

### Annex XXVI: Copyright Notice

© 2025 Jordi Mas i Manjón. All rights reserved.

This corpus, including mathematical formulations, annexes, and editorial closures, is the intellectual property of the author.

No part of this work may be reproduced, stored, or transmitted in any form without explicit permission, except for academic citation under fair use.